
# PRICE LIST

# Turner, Day & Woolworth Handle Co.

INCORPORATED


Founded A. D., 1855



We Lead
Others Follow

LOUISVILLE,

KENTUCKY



## PRICE LIST

# Turner, Day & Woolworth Handle Co.



Founded A. D., 1855

We Lead
Others Follow

May 1, 1926

LOUISVILLE, KENTUCKY

#### NOTICE.

Prices subject to change without notice.

Prices based on Factory Delivery.

Special prices for handles made to special patterns.

Terms 30 days net or 2 per cent cash 10 days.

See pages 16 to 20 for standard grades.

#### METHODS OF PACKING.

Handles 24 inches and up in length.

Wooden crates, 2 doz. to 6 doz. each, no extra charge.

Wooden cases, 10 doz. to 20 doz. each, no extra charge.

Fibre board cartons, 1 doz. each, not crated, charge 5 cts. per doz. net.

Wooden crates with each handle in paper bag, 5 cts. per doz. net.

Wooden crates packed one doz. each, 5 cts. per doz. net.

#### HAMMER AND HATCHET HANDLES.

Wooden crates, 6 doz. or more to crate, no extra charge.


Manila board cartons, 1 doz. each in wood crates, charge 3 cts. per doz. net.

#### LABELING AND BRANDING.

No charge for our own labels.

When we furnish labels for customers' brands no charge will be made for putting them on, but the cost of the labels will be added to the invoice.

When brands are burnt into handles, charge 5 cts. per dozen net.





36-inch Single Bitt Axe Handle.

#### HICKORY AXE HANDLES.

Oval, Plain Ends.

SINGLE AND DOUBLE BITT AND STRAIGHT	Daniel Boone	Perfection	Triumph	Hercules	Success	Eagle
36, 34, 32 and 30-inchper doz.	12 50	11 10	9 80	8 80	7 50	5 50
Boy's and Straight Miner's				HIS. S		
28, 26 and 24-inchper doz.		9 00	8 00	6 60	5 50	4 10

When lengths greater than 36-inch are required, add 50 cts. per dozen net for each additional two (2) inches of length.

For fitting to guage, charge 10 cts. per dozen net.

#### AVERAGE WEIGHTS.

Axe Handles 26-28, per dozen, 13 lbs.

Axe Handles 30-32, per dozen, 17 lbs.

Axe Handles 34-36, per dozen, 21 lbs.

Axe Handles 34-44, per dozen, 32 lbs.



#### HICKORY AXE HANDLES.

New England and French Patterns.

OVAL, PLAIN END	Perfection or American Beauty	Triumph or Daisy	Hercules or Sunflower	Success	Eagle
New England, 28-inch per doz.	10 00	9 00	8 35	7 00	5 00
New England, 30 and 32-inch "	11 10	9 80	8 80	7 50	5 50
French, 28-inch	11 80	10 50	9 25	7 70	5 50
French, 30 and 32-inch	12 50	11 20	10 00	8 35	5 50

When Handles are required OCTAGON add 10 cts. per dozen net.

When Handles are required with SHAVED EYES add 10 cts. per dozen net.

#### AVERAGE WEIGHTS.

Axe Handles 26-28, per dozen, 13 lbs. Axe Handles 30-32, per dozen, 17 lbs. Axe Handles 38-40, per dozen, 27 lbs. Axe Handles 42-44, per dozen, 32 lbs.

Axe Handles 34-36, per dozen, 21 lbs.



TURNER DAY & WOOLWORTH HANDLE CO., LOUISVILLE, Ky.

36-inch Lumberman's Axe Handle.



36-inch Octagon Single Bitt Axe Handle. Scroll End.



#### 36-inch Octagon Double Bitt Axe Handle.

#### AXE HANDLES.


HICKORY SINGLE AND DOUBLE BITT AND STRAIGHT	Daniel Boone	American Beauty	Daisy	Sunflower
36, 34, 32 and 30-inchper doz.	12 50	11 10	9 80	8.80 7 50
OAK AND ASH SINGLE BITT, DOUBLE BIT AND LUMBERMAN	TT	Royal Oak	Select	Special
30 to 36-inch	per doz.	10 50	7 80	5 50

When handles are required Octagon add 10 cts. per dozen net.

When handles are required Scroll End add 5 cts. per dozen net.

When handles are required shaved or fitted eyes add 10 cts. per dozen net.

When lengths greater than 36-inch are required, add 50 cts. per dozen net for each additional two inches of length.





#### 36-inch R. R. or Surface Pick Handles.

HICKORY PICK HANDLES	Daniel Boone	Perfec- tion	Triumph	Hercules	Success	Eagle
Railroad, Mattock and Grub Hoe, per doz.	16 60	15 50	12 30	10 50	8 30	6 60
Drift, Coal and Poll Pick "	12 50	11 10	9 80	8 30	6 60	5 10

OAK AND ASH PICK HANDLES	Royal Oak	Select	Special
Railroad and Mattock	11 10	8 30	5 50
Drift and Coal Pick	8 30	6 60	5 10

#### AVERAGE WEIGHTS.

R. R. Pick, per doz. Handles, 37 lbs. Mattock and Grub Hoe Handles, 33 lbs. Drift and Poll Pick Handles, 27 lbs. Coal Pick Handles, 23 lbs.

HICKORY POST MAUL AND AXE EYE WOOD CHOPPER'S MAUL	Perfection	Triumph	Hercules	Success	Eagle
30 to 36-inch per doz.	11 10	9 80	8 30	6 60	5 10

Weight per doz., 30 and 32-inch, 18 lbs. 34 and 36-inch, 21 lbs.




#### TURNER DAY & WOOLWORTH HANDLE CO

# Sledge Handles, 26 to 42 inches. SLEDGE, TOOL AND MAUL HANDLES.

100	LENGTHS			and		and	34 a 36-i		38-i	nch	40-i	nch	42-i	nch
Daniel Boon	e, shaved pe	r doz.	8	50	9	80	11	10	11	60	13	00	14	40
Perfection,	urned	"	7	40	8	20	10	00	10	75	11	55	12	40
Hercules,	"	u	5	30	6	50	7	50	8	10	8	65	9	20
Success,	"	"	4	00	4	80	5	50	5	90	6	90	7	60
Eagle,	· "	u	3	00	3	20	3	50	5	50	6	20	7	00

#### AVERAGE WEIGHTS.

	Sledge and Tool	Maul and Striking Hammer
24-inch, per dozen	14 lbs.	13 lbs.
26 and 28-inch, per dozen		15 "
30 and 32-inch, per dozen	18 "	17 "
34, 36 and 38-inch, per dozen	22 "	21 "
40 and 42-inch, per dozen		23 "



# Adze, Railroad. HICKORY ADZE HANDLES.



#### HICKORY BROAD AXE.

 $Styles \ Adze \ \left\{ \begin{array}{l} Railroad \\ Carpenter's \\ Ship \ Carpenter's \end{array} \right.$ 

 $\begin{array}{c} Styles \\ Sroad \ Axe \end{array} \left\{ \begin{array}{c} Reversible \\ Right \\ Left \end{array} \right.$ 


ALL STYLES	Daniel Boone	Perfec- tion	Triumph	Hercules	Success	Eagle
36-inch and 34-inch.	13 20	11 80	10 50	9 50	7 50	5 50

Average Weights Per Dozen.

Adze Handles, 34-inch, 23 lbs.

Broad Axe Handles, 19 lbs.

Adze Handles, 36-inch, 26 lbs.



Protects from dust and moisture and is suitable for shelf arrangement.



LOVISVILLE.Ky.

Adze Eye Hammer Handle.

Machinist Hammer Handle.





Blacksmith Hammer Handle.

Riveting Hammer Handle.

#### HICKORY HAMMER HANDLES.

Carpenters, Adze Eye, Machinist, Blacksmith, Mason and Riveting Hammers.

			1	40.00"	20"	04"
	12–15″	16"	17–18″	19–20″	22"	24"
Daniel Boone	3 75	3 95	4 45	5 05	6 00	7 45
Peerless	2 60	2 95	3 25	3 70	4 05	4 60
Beauty	1 90	2 05	2 30	2 70	3 00	3 35

#### AVERAGE WEIGHTS.

Hammer Handles.

12, 13 and 14-inch, 5 to 6 lbs.

15 and 16-inch, 6 to  $7\frac{1}{2}$  lbs. 17 and 18-inch,  $7\frac{1}{2}$  to 9 lbs.

19 and 20-inch, 9 to 11 lbs. 22-inch, 11 to 13 lbs.

24-inch, 13 to 15 lbs.





Shingling Hatchet.

Broad Hatchet.



#### Lathing Hatchet.

### HICKORY HATCHET HANDLES.

Shingling, Lathing, Broad and Bench Hatchets.

	12–15″	16"	17–18″	19"	20"
Daniel Boone	3 75	4 15	5 40	5 90	6 45
Peerless	2 60	3 05	3 60	4 20	4 60
Beauty	1 90	2 10	2 65	3 10	3 35

#### AVERAGE WEIGHTS.

Hatchet Handles.

12, 13 and 14-inch, 5 to 6 lbs. 15 and 16-inch, 6 to  $7\frac{1}{2}$  lbs.

17 and 18-inch,  $7\frac{1}{2}$  to 9 lbs. 19 and 20-inch, 9 to 11 lbs.



Hunter's Hatchet Handle.



Camp or Scout Axe Handle.



Derrick Hatchet Handle.

#### HICKORY HATCHET HANDLES.

Camp, Scout, Hunter's, Special Patterns.

TO STOKE HERSE	12–15″	16"	17–18″	19"	20″
Daniel Boone	4 10	4 50	5 85	6 40	7 00
Peerless	2 90	3 35	4 10	4 85	5 25
Beauty	2 10	2 35	3 00	3 55	3 75

## REGISTERED BRANDS AS APPLYING TO STANDARD GRADES:

#### HANDLES 24 INCHES AND UP.

Daniel Boone - Second Growth.

American Beauty	XXX	PerfectionExtra
Daisy	XX	TriumphExcelsion
Sunflower		HerculesNo. 1.
Eagle		Success

### HAMMER AND HATCHET HANDLES.

Daniel Boone - Second Growth.

Peerless....Extra Beauty....No. 1.

#### NOTICE.

We are publishing the Standard Grades of Hickory Handles as adopted December 10, 1924, by the Hickory Handle Association, it being the purpose of reputable manufacturers to discourage the practice of improper grading and misrepresentation by improper marking of packages.

The labeling and marking of goods with our private brands is a guarantee by us that the grades are fully up to the standard.

#### GRADES OF TOOL HANDLES.

To be made from all commercial species of Hickory. Handles to be classified by the following general rules:

- 1. Strength, as shown by the growth, weight and resiliency of the handle.
- 2. By defects, blemishes and imperfections with their relation to serviceability.
- 3. By color of the wood and general appearance.

NOTE: The weight and resiliency to be determined by the inspectors' knowledge of the weight of wood and required density. Rings of annual growth will not be counted unless question arises in regard to grade, when decision will be based on the annular rings.

#### GENERAL IMPERFECTIONS PERMISSIBLE IN CERTAIN GRADES.

- (A) KNOTS-When not exceeding five-sixteenths the diameter of the handle where it occurs.
- (B) BIRD PECKS—Having the appearance of small sound or open knots, with the dis-coloration due to the infiltration of foreign matter through the bird pecks.
- (C) IRON STREAKS—Small thread-like streaks due to the absorption of mineral substances from the soil.
- (D) CHECKS OR SPLITS—In the surface of the wood, caused by seasoning, when not affecting the serviceability.
- (E) WORM HOLES—Only those caused by insects or grubs working in the timber before cut and when not exceeding one-sixteenth inch in diameter.
- (F) CROSS GRAIN—Where the growth or grain of the wood does not run parallel with the center line of the handle.
  - (G) DIP GRAIN-Curvature in the grain of the wood, deflection caused by knots or snarls.
  - (H) SAP STAIN-Where discoloration is shown and decay or rot has not set in.
- (I) FAILURES—Where in turning insufficient wood prevents a perfect shaped handle, when not exceeding one-eighth the diameter of the handle at point occurring, when not extending one-quarter the length.
- (J) SIZES—To be within one-sixteenth inch of a specified size, or in other words a variation of one-eighth inch allowed.

#### GRADES.

#### HICKORY HANDLES 24 INCHES AND UP IN LENGTH.

DANIEL BOONE—Handles having not over 17 rings of annual growth per inch of radius, heavy weight, thrifty growth, free from all defects, all white.

PERFECTION AND AMERICAN BEAUTY—Handles having not over 22 rings of annual growth per inch of radius, good weight, live growth, free from all defects, all white.

TRIUMPH AND DAISY—Handles having not over 27 rings of annual growth per inch of radius, medium weight, live growth, permitting slight iron streaks not to exceed two in number running the entire length or their equivalent in shorter lengths, tips of red wood at one or both ends, but must show not less than eighteen inches of white wood. When all white heavy weight permitting one sound, tight knot or bird peck not over one-eighth inch in diameter, occurring in the first fourth of the length from the grasp end, or in the eye, or slight deflection of grain in sections where knots are allowed.

HERCULES AND SUNFLOWER—Handles of fair weight, live growth, permitting iron streaks to the extent of four the entire length or their equivalent in shorter lengths permitting one-third the handle red wood, slight discoloration from sap but no dark stains. When all white permitting one sound or tight knot or bird peck not over three-sixteenths inch in diameter, or two such defects where the combined diameters do not exceed three-sixteenths inches in diameter, occurring in the first third of the length from the grasp end, or in the eye, or reasonable deflection of grain in sections where knots are allowed.

#### GRADES.

#### HANDLES 24 INCHES AND UP IN LENGTH-Continued.

SUCCESS—Handles of live growth wood either red, white or mixed Hickory permitting iron streaks, two small tight knots or bird pecks, occurring in the first half of the length from the grasp end, or in the eye, or reasonable cross grain or dip grain in section where knots are allowed, sap stain where area is not greater than one-sixth of the handle, except where only slight discoloration due to sap which is permitted to any extent. Checks across the eye end permitted not over one-half inch in depth.

EAGLE-Serviceable handles not permitted in other grades having permissible defects.

#### HAMMER AND HATCHET HANDLES.

DANIEL BOONE—Handles having not over 17 rings of annual growth per inch of radius, heavy weight, thrifty growth, free from all defects, white.

PEERLESS—Handles of medium weight, live growth, permitting two slight iron streaks the entire length, or their equivalent in shorter streaks. All white, with exception of allowing slight tip of red at one end not to exceed two inches in length.

BEAUTY—Handles of live growth wood, permitting iron streaks, two sound tight knots or bird pecks, not over three-sixteenths inch in diameter, if in the first third length at the grasp end, or in the eye, reasonable deflection of grain in portion where knots are allowed, slight discoloration due to sap, not over one-half of the handle red wood.

